

ASME P30.1-2024
(Revision of ASME P30.1-2019)

Planning for Load Handling Activities

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME P30.1-2024
(Revision of ASME P30.1-2019)

Planning for Load Handling Activities

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 7, 2025

The next edition of this Standard is scheduled for publication in 2029. This Standard will become effective 1 year after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2025 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword	v
Committee Roster	vi
Correspondence With the P30 Committee	vii
P30 Standard Introduction	viii
Summary of Changes	ix
Chapter 1 Scope and Definitions	1
1-1 Scope	1
1-2 Definitions	1
Chapter 2 Load Handling Activity Considerations and Plan Categories	2
2-1 Load Handling Activity Considerations	2
2-2 Plan Categories	4
Chapter 3 Personnel and Responsibilities	5
3-1 Personnel Qualification/Competence	5
3-2 Roles and Responsibilities	5
Chapter 4 Standard Lift Plan	6
4-1 Introduction	6
4-2 Standard Lift Plan Development	6
4-3 Pre-Lift Review	6
4-4 Executing the Standard Lift Plan	6
4-5 Post-Lift Review	6
Chapter 5 Critical Lift Plan	7
5-1 Introduction	7
5-2 Critical Lift Plan Development	7
5-3 Pre-Lift Meeting	9
5-4 Executing the Critical Lift Plan	9
5-5 Post-Lift Review	9
Nonmandatory Appendices	
A Lift Data Sheet (LDS)	10
B Rigging Data Sheet (RDS)	18
C Establishing a Limiting Wind Speed	22
D Planning for LHE Foundation and Support	35
E Industry References	63
Figures	
2-1-1 Load Handling Activity Categorization	3
A-1-1 Lift Data Sheet	14
A-3-1 Crane Layout (Schematic)	16

A-4-1	Rigging Arrangement (Schematic)	17
B-1-1	Rigging Arrangement (Schematic)	20
B-2.2-1	Rigging Data Sheet	21
C-4-1	Wind Effect on LHE	29
C-5-1	Effects of Wind on Load	29
C-6-1	Side Loading	30
C-7-1	Limiting Wind Speed Calculations for Mobile and Locomotive Cranes	31
C-7-2	LHA and Corresponding LHE Load Chart	32
C-8-1	Suspended Loads and Taglines	33
C-9-1	Establishing a Limiting Wind Speed for a Load Handling Activity	34
D-3.4-1	Process Map	37
D-4.1-1	Outrigger-Supported LHE Loading	38
D-4.1-2	Crawler Crane Loading	39
D-6.2-1	Boring Log	43
D-6.2-2	Boring Log Legend	44
D-6.2-3	Boring Location Plan	45
D-7.2-1	Load Distribution Through a Layer of Fill	47
D-8.4-1	Area Disregarded Due to Eccentric Loading	48
D-10.3-1	Transition Layer	51
D-10.4-1	Example Wood Mat Load Distribution Spreadsheet	52
D-10.6-1	Effective Bearing Length	53
D-10.6.1-1	Wood Mats	54
D-10.6.1-2	Wood Mats Track Example	55
D-10.6.2-1	Wood Mats Float Example	56
D-10.7-1	Example of Steel Mat Load Distribution Spreadsheet	57
D-10.9-1	Grade 36 Steel Mat	59
D-10.9-2	Grade 50 Steel Mat	60
D-10.9.1-1	Grade 36 Steel Mat Example	61
 Tables		
D-5.4-1	Presumptive Values of Allowable Bearing Pressures for Spread Foundations	41
D-10.2-1	Commonly Used Timber Species for Crane Mats	50
D-10.2-2	Commonly Used Wood Crane Mat Design Values	50
D-10.9.1-1	Sample Steel Mat Properties	61

FOREWORD

As load handling activities grow in complexity, there is an increased need to develop a set of recognized planning guidelines. While some guidance for planning of load handling activities, also referred to as lift planning, has been available in publications, literature from equipment manufacturers, and in-house procedures of various organizations and companies, there has not been any published comprehensive, broadly authoritative guidance available. The absence of uniform considerations or comprehensive practices has created an uneven range of planning activities.

In 2008, the B30 Standard Committee created a Task Group to consider the feasibility of developing a standard for lift planning. Based upon the report of the Task Group, the B30 Standard Committee favored the creation of a standard but recognized that such a standard would not fit the equipment-based orientation of B30. The American Society of Mechanical Engineers (ASME) and the American National Standards Institute (ANSI) were petitioned to form a committee to develop a lift planning standard.

The formation of the ASME P30 Standards Committee, Planning for the Use of Cranes, Derricks, Hoists, Cableways, Aerial Devices, and Lifting Accessories, was approved by ASME on June 8, 2010, and a Project Initiation Notification System (PINS) was posted in ANSI Standards Action on July 2, 2010. The Committee held its inaugural meeting on September 20, 2010, with the intent to develop a standard that provides guidance on general planning considerations and practices for load handling operations occurring in all industries, so that users could apply the Standard as a template and adapt it to the needs of their specific industry or situation.

The first edition of ASME P30.1 was approved by ANSI on January 14, 2014. The 2019 edition contained changes to Nonmandatory Appendix A, additional guidance on rigging planning and how to establish a limiting wind speed for a load handling activity as part of the lift-planning process. The 2024 edition revises [section C-7](#), including adding [para. C-7.1](#), and adds a new [Nonmandatory Appendix D](#).

ASME P30.1-2024 was approved by the P30 Committee and by ASME, and was approved by ANSI and designated as an American National Standard on November 15, 2024.

ASME P30 COMMITTEE

Planning for the Use of Cranes, Derricks, Hoists, Cableways, Aerial Devices, and Lifting Accessories

(The following is the roster of the committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

K. B. O'Neill, *Chair*
M. Chaudanson, *Vice Chair*
K. Peterson, *Secretary*

STANDARDS COMMITTEE PERSONNEL

D. R. Carroll, Citgo Petroleum Corp.
M. Chaudanson, Howard I. Shapiro & Associates Consulting Engineers, PC
C. Coronel, Bragg Cos.
R. Creighton, A. H. Beck Foundation Co., Inc.
D. R. Decker, Becket Training & Consulting
B. J. Dennler, Skanska USA
J. Ellis, Crane Tech, LLC
T. Gordon, International Union of Operating Engineers Local 14-14b
D. Lavoie, Liberty Mutual
M. P. McShane, Washington River Protection Solutions
K. B. O'Neill, Bay Crane Service, Inc.
K. Peterson, The American Society of Mechanical Engineers
B. A. Pickett, Systems Engineering and Forensic Services
S. K. Rammelsberg, CB&I Storage Solutions
D. M. Sather, Sims Crane and Equipment
B. J. Silbernagel, Morrow Equipment Co.
J. Steiner, Bigfoot Construction Equipment
M. Walsh, Dearborn Cos.
C. Warren, Webber, LLC
D. W. Wolf, LyondellBasell, Inc.
J. Yates, JL Yates Services, LLC
J. R. Yochimowitz, Navy Crane Center
D. Brown, *Alternate*, Local 14 Training

P. B. Debuigne, *Alternate*, Blue Origin
W. C. Dickinson, Jr., *Alternate*, Crane Industry Services, LLC
J. Glodoski, *Alternate*, McDermott
T. Hurst, *Alternate*, Liberty Mutual
G. Kaercher, *Alternate*, Barnhart Crane and Rigging Co.
Y. Morin, *Alternate*, Kraning
S. Santee, *Alternate*, Navy Crane Center
L. K. Shapiro, *Alternate*, Howard I. Shapiro & Associates Consulting Engineers, PC
E. Steiner, *Alternate*, Bigfoot Construction Equipment, Inc.
B. Tusa, *Alternate*, USMX
I. Bacalan, *Contributing Member*, Bechtel Equipment Operations
T. Blanton, *Contributing Member*, OGR Consulting Services, LLC
D. Duerr, *Contributing Member*, 2DM Associates, Inc.
J. C. Fiutak, *Contributing Member*, Anthony Hardwood Composites
K. Koberg, *Contributing Member*, DICA
J. S. Kuzar, *Contributing Member*, Los Alamos National Laboratory
M. W. Mills, *Contributing Member*, Liberty Mutual Insurance
T. Polakoff, *Contributing Member*, U.S. Crane & Rigging, LLC
C. L. Richardson, *Contributing Member*, Lone Star Rigging, LP
R. Shmulsky, *Contributing Member*, Mississippi State University
R. S. Stemp, *Contributing Member*, Lampson International, LLC
P. A. Vallejos, *Contributing Member*, Hanford Mission Integration Solutions, LLC

CORRESPONDENCE WITH THE P30 COMMITTEE

(24)

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/P30committee>.

Revisions and Errata. The committee processes revisions to this Standard on a continuous basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive email notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number, the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases. The committee does not issue cases for this Standard.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Inquiry Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic email confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.

Committee Meetings. The P30 Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/P30committee>.

P30 STANDARD INTRODUCTION

SECTION I: CHARTER FOR P30 — PLANNING FOR THE USE OF CRANES, DERRICKS, HOISTS, CABLEWAYS, AERIAL DEVICES, AND LIFTING ACCESSORIES COMMITTEE

The development and maintenance of standards that support load handling activities where mechanical equipment including, but not limited to, cranes, derricks, hoists, cableways, aerial devices, material lifting accessories, and combinations thereof are used.

SECTION II: PURPOSE

The P30 Standard is intended to

(a) prevent or minimize injury, and provide for the protection of life, limb, and property by offering guidance for planning efforts that enhance the safety of load handling activities

(b) provide guidance to work site personnel, equipment owners, employers, users, and others concerned with or responsible for the safety of load handling activities

(c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION III: USE BY REGULATORY AGENCIES

This Standard may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other codes and standards in this Standard may be changed to refer to the corresponding regulations of the regulatory agency or governmental authorities.

SECTION IV: EFFECTIVE DATE

(a) *Effective Date.* The effective date of this Standard shall be 1 yr after its date of issuance.

(b) The need to meet the guidelines established in the current edition of this Standard shall be evaluated by a qualified person, and any recommended changes to the user's planning activities shall be made within 1 yr.

SECTION V: REQUIREMENTS AND RECOMMENDATIONS

Requirements of this Standard are characterized by use of the word *shall*. Recommendations of this Standard are characterized by the word *should*.

SECTION VI: ADDITIONAL GUIDANCE

Load handling activities addressed by the P30 Standard are subject to hazards that cannot be abated solely through planning. Only by the application of knowledge, care, common sense, and experience can safe load handling activities be anticipated. It is therefore essential that personnel responsible for the planning and implementation of load handling activities are competent, qualified, and trained with the skills to satisfactorily accomplish their assigned tasks.

The P30 Standards Committee recognizes the importance of proper design factors, minimum or maximum dimensions, and other limiting criteria of equipment used in load handling activities. The P30 Committee expects that the equipment used to execute load handling activities meets the requirements of applicable equipment safety standards. The P30 Committee also expects that any recommendations or requirements provided in those standards are interpreted and applied correctly.