

ASME B30.26-2026

[Revision of ASME B30.26-2015 (R2020)]

Rigging Hardware

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks,
Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B30.26-2026
[Revision of ASME B30.26-2015 (R2020)]

Rigging Hardware

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks,
Jacks, and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 26, 2026

The next edition of this Standard is scheduled for publication in 2031. This Standard will become effective 1 year after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2026 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword		vi
Committee Roster		viii
Correspondence With the B30 Committee		x
B30 Standard Introduction		xi
Summary of Changes		xiii
Chapter 26-0	Scope, Definitions, Personnel Competence, Translations, and References	1
Section 26-0.1	Scope	1
Section 26-0.2	Definitions	1
Section 26-0.3	Personnel Competence	2
Section 26-0.4	Translations	2
Section 26-0.5	References	2
Chapter 26-1	Shackles — Selection, Use, and Maintenance	3
Section 26-1.0	Scope	3
Section 26-1.1	Types and Materials	3
Section 26-1.2	Design Factor	3
Section 26-1.3	Rated Loads	3
Section 26-1.4	Proof Test	3
Section 26-1.5	Identification	3
Section 26-1.6	Effects of Environment	3
Section 26-1.7	Training	4
Section 26-1.8	Inspection, Repair, and Removal	4
Section 26-1.9	Operating Practices	5
Chapter 26-2	Adjustable Hardware — Selection, Use, and Maintenance	7
Section 26-2.0	Scope	7
Section 26-2.1	Types and Materials	7
Section 26-2.2	Design Factor	7
Section 26-2.3	Rated Loads	7
Section 26-2.4	Proof Test	7
Section 26-2.5	Identification	7
Section 26-2.6	Effects of Environment	7
Section 26-2.7	Training	10
Section 26-2.8	Inspection, Repair, and Removal	10
Section 26-2.9	Operating Practices	12
Chapter 26-3	Compression Hardware — Selection, Use, and Maintenance	14
Section 26-3.0	Scope	14
Section 26-3.1	Types, Materials, and Assembly	14
Section 26-3.2	Design Factor	15
Section 26-3.3	Rated Loads	15

Section 26-3.4	Proof Test	15
Section 26-3.5	Identification	16
Section 26-3.6	Effects of Environment	16
Section 26-3.7	Training	17
Section 26-3.8	Inspection, Repair, and Removal	17
Section 26-3.9	Operating Practices	17
Chapter 26-4	Links, Master Link Subassemblies, Rings, and Swivels	19
Section 26-4.0	Scope	19
Section 26-4.1	Types and Materials	19
Section 26-4.2	Design Factor	19
Section 26-4.3	Rated Loads	19
Section 26-4.4	Proof Test	20
Section 26-4.5	Identification	20
Section 26-4.6	Effects of Environment	20
Section 26-4.7	Training	20
Section 26-4.8	Inspection, Repair, and Removal	21
Section 26-4.9	Operating Practices	21
Chapter 26-5	Rigging Blocks — Selection, Use, and Maintenance	24
Section 26-5.0	Scope	24
Section 26-5.1	Types and Materials	24
Section 26-5.2	Design Factor	24
Section 26-5.3	Rated Loads	24
Section 26-5.4	Proof Test	24
Section 26-5.5	Identification	24
Section 26-5.6	Effects of Environment	24
Section 26-5.7	Training	28
Section 26-5.8	Inspection, Repair, and Removal	28
Section 26-5.9	Operating Practices	28
Chapter 26-6	Detachable Load-Indicating Devices — Selection, Use, and Maintenance	30
Section 26-6.0	Scope	30
Section 26-6.1	Types and Materials	30
Section 26-6.2	Design Factor	30
Section 26-6.3	Rated Loads	30
Section 26-6.4	Proof Test	30
Section 26-6.5	Identification	30
Section 26-6.6	Effects of Environment	30
Section 26-6.7	Training	31
Section 26-6.8	Calibration, Inspection, Repair, and Removal	31
Section 26-6.9	Operating Practices	33
 Figures		
26-1.1.1-1	Shackle Types	4
26-1.9.1-1	Angle of Loading (Shackles)	5
26-1.9.4-1	Typical Shackle Components	6
26-1.9.4-2	Side Loading	6

26-2.1.1-1	Turnbuckles	8
26-2.1.1-2	Eyebolts	9
26-2.1.1-3	Eye Nuts	10
26-2.1.1-4	Swivel Hoist Rings	11
26-2.9.1-1	Angle of Loading (Adjustable Hardware)	12
26-3.1.1-1	Wire Rope Clips	15
26-3.1.1-2	Wedge Sockets	16
26-4.1.1-1	Links and Rings	19
26-4.1.1-2	Swivels	20
26-4.9.1-1	Angle of Loading (Links, Master Link Subassemblies, Rings, and Swivels)	22
26-5.1.1-1	Rigging Block Types	25
26-5.1.1-2	Typical Rigging Block Components	26
26-5.3-1	Block Load Factor Multipliers	27
26-6.1.1-1	Crane Scale — Dynamometer	31
26-6.1.1-2	Link Style Load-Indicating Device	32
26-6.1.1-3	Shackle With Load-Indicating Pin	32

FOREWORD

This American National Standard, Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings, has been developed under the procedures accredited by the American National Standards Institute (ANSI). This Standard had its beginning in December 1916, when an eight-page Code of Safety Standards for Cranes, prepared by the American Society of Mechanical Engineers (ASME) Committee on the Protection of Industrial Workers, was presented at the annual meeting of ASME.

Meetings and discussions regarding safety on cranes, derricks, and hoists were held from 1920 to 1925 involving the ASME Safety Code Correlating Committee, the Association of Iron and Steel Electrical Engineers, the American Museum of Safety, the American Engineering Standards Committee (AESC) [later changed to American Standards Association (ASA), then to the United States of America Standards Institute (USASI), and finally to ANSI], Department of Labor — State of New Jersey, Department of Labor and Industry — State of Pennsylvania, and the Locomotive Crane Manufacturers Association. On June 11, 1925, the AESC approved the ASME Safety Code Correlating Committee's recommendation and authorized the project with the U.S. Department of the Navy, Bureau of Yards and Docks, and ASME as sponsors.

In March 1926, invitations were issued to 50 organizations to appoint representatives to a Sectional Committee. The call for organization of this Sectional Committee was sent out October 2, 1926, and the Committee was organized on November 4, 1926, with 57 members representing 29 national organizations.

Commencing June 1, 1927, and using the eight-page Code published by ASME in 1916 as a basis, the Sectional Committee developed the Safety Code for Cranes, Derricks, and Hoists. The early drafts of this safety code included requirements for jacks, but, due to inputs and comments on those drafts, the Sectional Committee decided in 1938 to make the requirements for jacks a separate code. In January 1943, ASA B30.2-1943 was published addressing a multitude of equipment types, and in August 1943, ASA B30.1-1943 was published addressing only jacks. Both documents were reaffirmed in 1952 and widely accepted as safety standards.

Due to changes in design, advancement in techniques, and general interest of labor and industry in safety, the Sectional Committee, under the joint sponsorship of ASME and the Bureau of Yards and Docks (now the Naval Facilities Engineering Command), was reorganized on January 31, 1962, with 39 members representing 27 national organizations. The new Committee changed the format of ASA B30.2-1943 so that the multitude of equipment types it addressed could be published in separate volumes that could completely cover the construction, installation, inspection, testing, maintenance, and operation of each type of equipment that was included in the scope of ASA B30.2. This format change resulted in B30.3, B30.5, B30.6, B30.11, and B30.16 being designated as revisions of B30.2 with the remainder of the B30 volumes being published as totally new volumes. ASA changed its name to USASI in 1966 and to ANSI in 1969, which resulted in B30 volumes from 1943 to 1968 being designated as either ASA B30, USAS B30, or ANSI B30, depending on their date of publication.

In 1982, the Committee was reorganized as an Accredited Organization Committee operating under procedures developed by ASME and accredited by ANSI. This Standard presents a coordinated set of rules that may serve as a guide to government and other regulatory bodies and municipal authorities responsible for the guarding and inspection of the equipment falling within its scope. The suggestions leading to accident prevention are given both as mandatory and advisory provisions; compliance with both types may be required by employers of their employees.

In case of practical difficulties, new developments, or unnecessary hardship, the administrative or regulatory authority may grant variances from the literal requirements or permit the use of other devices or methods but only when it is clearly evident that an equivalent degree of protection is thereby secured. To secure uniform application and interpretation of this Standard, administrative or regulatory authorities are urged to consult the B30 Committee, in accordance with the format described on the Correspondence With the B30 Committee page, before rendering decisions on disputed points.

Safety codes and standards are intended to enhance public safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

The first edition of this Volume was B30.26-2004, published on May 20, 2005. The second edition, B30.26-2010, which was published on June 30, 2010, added Chapter 26-6, Detachable Load-Indicating Devices — Selection, Use, and Maintenance. The 2015 edition incorporated many global B30 changes, including the addition of Sections on personnel competence, translations, and references; the addition of general information paragraphs in the inspection Sections; and other revisions. In this 2026 edition, definitions have been revised, added, and deleted; the references have been

updated; and Section 26-0.1 and para. 26-2.9.4.2 have been revised. This edition, which was approved by the B30 Committee and by ASME, was approved by ANSI and designated as an American National Standard on January 21, 2026.

ASME B30 COMMITTEE

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

(The following is the roster of the committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

E. D. Fidler, *Chair*
T. Sicklesteel, *Vice Chair*
S. D. Wood, *Vice Chair*
K. Peterson, *Secretary*

STANDARDS COMMITTEE PERSONNEL

B. B. Bacon, Tennessee Valley Authority (TVA)
T. L. Blanton, OGR Consulting Services, LLC
P. A. Boeckman, The Crosby Group, LLC
D. Boyle, The Crosby Group, LLC
J. R. Burkey, Columbus McKinnon Corp.
J. A. Danielson, The Boeing Co.
D. Decker, Becket Training and Consulting
L. D. DeMark, Equipment Training Solutions, LLC
D. W. Eckstine, Eckstine & Associates, Inc.
E. D. Fidler, Grove U.S., LLC
M. Gardiner, ICC Forensics
J. A. Gilbert, JAGwire Management, LLC
D. Henninger, Bridon-Bekaert Ropes Group
M. M. Jaxtheimer, Navy Crane Center
T. W. Klein, Wireco
A. J. Lusi, Jr., Lumark Consulting, LLP
T. C. Mackey, HiLine Engineering and Fabrication, Inc.
J. Mihalbauer, All Ship and Cargo Surveys, Ltd.
R. M. Parnell, Industrial Training International, Inc.
J. T. Perkins, All Material Handling (AMH)
K. Peterson, The American Society of Mechanical Engineers
B. Pickett, Systems Engineering and Forensic Services
J. A. Pilgrim, Manitowoc Cranes
S. Rammelsberg, CB&I Storage Solutions
J. M. Randall, J. E. Spear Consulting, LP
K. Rask, NationsBuilders Insurance Services, Inc.
K. Reynolds, Shell Exploration and Production
C. L. Richardson, Lone Star Rigging, LP
J. E. Richardson, Navy Crane Center
J. W. Rowland III, Consultant
A. R. Ruud, Atkinson Construction
L. K. Shapiro, Howard I. Shapiro & Associates Consulting Engineers, P.C.
T. Sicklesteel, NCCCO
C. H. Smith, Morrow Equipment Co., LLC
D. W. Smith, J. E. Spear Consulting, LP
W. J. Smith, Jr., NationsBuilders Insurance Services
R. G. Strain, Advanced Crane Technologies, LLC
J. Sturm, Sturm Corp.
D. Sullivan, IUOE Local 542 JATC
P. A. Vallejos, Hanford Mission Integration Solutions, LLC
C. Warren, Webber, LLC
J. D. Wiethorn, International Crane and Construction Safety Solutions, LLC
S. D. Wood, Terex Corp.
M. Benavage, *Alternate*, Bridon-Bekaert
M. Chaudanson, *Alternate*, Howard I. Shapiro & Associates Consulting Engineers, P.C.
T. Cobb, *Alternate*, Columbus McKinnon Corp.
P. B. Debuigne, *Alternate*, Blue Origin
M. Eckstine, *Alternate*, Eckstine & Associates, Inc.
D. Freeman, *Alternate*, CB&I Storage Solutions
D. Frerking, *Alternate*, XCMG American Research Corp.
T. Gordon, *Alternate*, International Union of Operating Engineers Local 14-14b
J. B. Greenwood, *Alternate*, Navy Crane Center
B. Haight, *Alternate*, Morrow Equipment Co.
A. Imlah, *Alternate*, The Boeing Co.
W. J. Merrill, *Alternate*, Merrill Safety Solutions, LLC
G. D. Miller, *Alternate*, Manitowoc Cranes
D. J. Mitchell, *Alternate*, IUOE Local 542
D. Moore, *Alternate*, Unified Engineering, LP
P. Quick, *Alternate*, Affiliated Engineering Laboratories, Inc.
G. M. Ray, *Alternate*, Tennessee Valley Authority (TVA)
S. Rogers, *Alternate*, Sam Rogers Crane & Rigging
N. Rossetti, *Alternate*, Advanced Crane Technologies
S. Santee, *Alternate*, Navy Crane Center
B. Schmoyer, *Alternate*, U.S. Training Consultants, LLC
J. Schober, *Alternate*, American Bridge Co.
J. E. Spear, *Alternate*, J. E. Spear Consulting, LP
J. A. Stewart, *Alternate*, Stewart Safety Consulting
D. Stott, *Alternate*, Ryskless Safety Solutions
A. Thompson, *Alternate*, Wireco Worldgroup, Inc.
W. Tubbs, *Alternate*, Craneology, Inc.
J. J. VanEgeren, *Alternate*, Manitowoc Cranes
C. Vencl, *Alternate*, Kito Crosby
M. Zerba, *Alternate*, Lampson International, LLC
J. W. Downs, Jr., *Honorary Member*, Downs Crane and Hoist Co., Inc.
J. L. Franks, *Honorary Member*, Consultant
C. W. Ireland, *Honorary Member*, National Oilwell Varco
P. R. Juhren, *Honorary Member*, Morrow Equipment Co., LLC
J. M. Klibert, *Honorary Member*, Lift-All Co., Inc.
J. C. Ryan, *Honorary Member*, Boh Bros. Construction Co., LLC

B30.26 SUBCOMMITTEE PERSONNEL

T. W. Klein, *Chair*, Wireco
P. A. Boeckman, The Crosby Group, LLC
T. Cobb, Columbus McKinnon Corp.
B. Considine, Skyazul, Inc.
D. Decker, Becket, Training and Consulting
D. W. Eckstine, Eckstine & Associates, Inc.
J. A. Gilbert, JAGwire Management, LLC
J. M. Hoffer, Exelon Corp.
L. S. Olver, Kolo Holdings, Inc.
P. Quick, Affiliated Engineering Laboratories, Inc.
S. K. Rammelsberg, CB&I Storage Solutions
J. M. Randall, J. E. Spear Consulting, LP

J. R. Yochimowitz, Navy Crane Center
D. Boyle, *Alternate*, The Crosby Group
M. Eckstine, *Alternate*, Eckstine & Associates, Inc.
T. Harding, *Alternate*, Bechtel Equipment Operations, Inc.
T. Raines, Jr., *Alternate*, CMCO
B. Schmoyer, *Alternate*, U.S. Training Consultants, LLC
A. Thompson, *Alternate*, Wireco Worldgroup, Inc.
N. E. Andrew, *Contributing Member*, Neil E. Andrew & Associates, LLC
C. Petersen, *Contributing Member*, Nicopress
D. W. Smith, *Contributing Member*, J. E. Spear Consulting, LP
A. A. Tanzil, *Contributing Member*, Yoke Industrial Corp.
A. Van Der Zalm, *Contributing Member*, Van Beest B.V.

B30 INTEREST REVIEW GROUP

O. Akinboboye, Ropetech Engineering Services, Ltd.
B. Dobbs, LEEA
Y. T. Fathy Elhola, Axess Group
A. Gomes Rocha, Industrial Training International
N. C. Hargreaves, Hargreaves Consulting, LLC
J. Hui, Southeast University School of Civil Engineering, People's Republic of China

D. Mabelane, The South African Nuclear Energy Corp.
A. C. Mattoli, Prowinch, LLC
T. McCullough, Allegiance Crane and Equipment
C. Neth, Neth Engineering, PLLC
A. W. Payne, Houston City College

B30 REGULATORY AUTHORITY COUNCIL

C. N. Stribling, Jr., *Chair*, Kentucky Labor Cabinet
K. Peterson, *Secretary*, The American Society of Mechanical Engineers
D. E. Latham, State of Maryland DLLR

S. Sumeshwar, State of California Department of Industrial Relations
T. Taylor, North Carolina Department of Labor
N. Reynolds, *Alternate*, Maryland Occupational Safety and Health (MOSH)

CORRESPONDENCE WITH THE B30 COMMITTEE

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at <https://go.asme.org/B30committee>.

Revisions and Errata. The committee processes revisions to this Standard on a continuous basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive email notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number, the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases. The committee does not issue cases for this Standard.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Inquiry Submittal Form at <https://go.asme.org/InterpretationRequest>. Upon submitting the form, the inquirer will receive an automatic email confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at <https://go.asme.org/Interpretations>.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

Interpretations are published in the ASME Interpretations Database at <https://go.asme.org/Interpretations> as they are issued.

Committee Meetings. The B30 Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at <https://go.asme.org/B30committee>.

B30 STANDARD INTRODUCTION

(26)

SECTION I: SCOPE

The ASME B30 Standard contains provisions that apply to the construction, installation, operation, inspection, testing, maintenance, and use of cranes and other lifting and material-movement-related equipment. For the convenience of the reader, the Standard has been divided into separate volumes. Each volume has been written under the direction of the ASME B30 Standards Committee and has successfully completed a consensus approval process under the general auspices of the American National Standards Institute (ANSI).

As of the date of issuance of this Volume, the B30 Standard comprises the following volumes:

- B30.1 Jacks, Industrial Rollers, Air Casters, and Hydraulic Gantries
- B30.2 Overhead and Gantry Cranes (Top Running Bridge, Single or Multiple Girder, Top Running Trolley Hoist)
- B30.3 Tower Cranes
- B30.4 Portal and Pedestal Cranes
- B30.5 Mobile and Locomotive Cranes
- B30.6 Derricks
- B30.7 Winches
- B30.8 Floating Cranes and Floating Derricks
- B30.9 Slings
- B30.10 Hooks
- B30.11 Monorails and Underhung Cranes (withdrawn 2018 — requirements found in latest revision of B30.17)
- B30.12 Handling Loads Suspended From Rotorcraft
- B30.13 Storage/Retrieval (S/R) Machines and Associated Equipment
- B30.14 Side Boom and Rotating Pipelayers
- B30.15 Mobile Hydraulic Cranes (withdrawn 1982 — requirements found in latest revision of B30.5)
- B30.16 Overhead Underhung and Stationary Hoists
- B30.17 Cranes and Monorails (With Underhung Trolley or Bridge)
- B30.18 Stacker Cranes (Top or Under Running Bridge, Multiple Girder With Top or Under Running Trolley Hoist)
- B30.19 Cableways
- B30.20 Below-the-Hook Lifting Devices
- B30.21 Lever Hoists
- B30.22 Articulating Boom Cranes
- B30.23 Personnel Lifting Systems
- B30.24 Container Cranes
- B30.25 Scrap and Material Handlers
- B30.26 Rigging Hardware
- B30.27 Material Placement Systems
- B30.28 Balance Lifting Units
- B30.29 Self-Erecting Tower Cranes
- B30.30 Ropes
- B30.31 Self-Propelled, Towed, or Remote-Controlled Hydraulic Platform Transporters¹
- B30.32 Unmanned Aircraft Systems (UAS) Used in Inspection, Testing, Maintenance, and Load-Handling Operations

SECTION II: SCOPE EXCLUSIONS

Any exclusion of, or limitations applicable to, the equipment, requirements, recommendations, or operations contained in this Standard are established in the affected volume's scope.

SECTION III: PURPOSE

The B30 Standard is intended to

- (a) prevent or minimize injury to workers, and otherwise provide for the protection of life, limb, and property by prescribing safety requirements
- (b) provide direction to manufacturers, owners, employers, users, and others concerned with, or responsible for, its application
- (c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION IV: USE BY REGULATORY AGENCIES

These volumes may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other national codes and standards in the specific volumes may be changed to refer to the corresponding regulations of the governmental authorities.

¹This volume is currently in the development process.